Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
ALLEGRO

Product type: **Precast concrete paver**

Product code: **0010**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 4 11/16 x 5 5/16
2 3/8 x 5 5/16 x 6 11/16
2 3/8 x 5 5/16 x 7 13/16
2 3/8 x 5 5/16 x 9 3/8

Approximate weight: Variable (4.9 to 9.9 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
ATHENA

Product type: **Precast concrete paver**

Product code: **0040**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 9/16 x 11 13/16 x 11 13/16
2 9/16 x 5 7/8 x 11 13/16
2 9/16 x 5 7/8 x 8 7/8
2 9/16 x 5 7/8 x 5 7/8
2 9/16 x 2 15/16 x 5 7/8

Approximate weight: Variable (3.7 to 29.8 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
ATLANTIS

Product type: **Precast concrete paver**

Product code: **0050**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 4 1/4 x 8 1/2

Approximate weight: 7.1 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
BLU 80 mm

Product type: **Precast concrete paver**

Product code: **0161**
1121

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 6 1/2 x 13
3 1/8 x 13 x 13
3 1/8 x 13 x 19 1/2

Approximate weight: Variable (21.6 to 64.6 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
CLASSIQUE SQUARE

Product type: **Precast concrete paver**

Product code: **1010**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 6 1/4

Approximate weight: 7.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
CLASSIQUE RECTANGLE

Product type: **Precast concrete paver**

Product code: **1020**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 9 3/8

Approximate weight: 11.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
ELENA

Product type: **Precast concrete paver**

Product code: **0060**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 2 3/8 x 4 13/16
2 3/8 x 4 13/16 x 4 13/16
2 3/8 x 4 13/16 x 7 5/16
2 3/8 x 4 13/16 x 9 3/4
2 3/8 x 7 5/16 x 9 3/4

Approximate weight: Variable (2.2 to 14.1 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
FLAGSTONE

Product type: **Precast concrete paver**

Product code: **1150**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 16 3/16 x 23 11/16 (asymmetric)
3 1/8 x 11 7/8 x 16 3/16 (asymmetric)
3 1/8 x 11 7/8 x 13 15/16 (asymmetric)

Approximate weight: Variable (25.1 to 59.7 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
HERA SQUARE

Product type: **Precast concrete paver**

Product code: **0070**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 6 1/4

Approximate weight: 7.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
HERA RECTANGLE

Product type: **Precast concrete paver**

Product code: **0080**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 9 3/8

Approximate weight: 11.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

TECHNICAL DATA SHEET
INFLO

Product type: **Precast concrete paver**

Product code: **1820**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 15/16 x 7 7/8 x 11 13/16
(Dimensions include the joint)

Joint width: 1/2 in.

Percent of open area of the surface: 5.8 %

Approximate weight: 26.0 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
MISTA RANDOM

Product type: **Precast concrete paver**

Product code: **1140**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 9/16 x 7 7/8 x 11 13/16
2 9/16 x 7 7/8 x 7 7/8
2 9/16 x 3 15/16 x 7 7/8
(Dimensions include the joint)

Joint width: Variable (3/16 to 9/16 in.)

Percent of open area of the surface: 6.3%

Approximate weight: Variable (6.6 to 19.8 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
MISTA SQUARE

Product type: **Precast concrete paver**

Product code: **1141**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 9/16 x 11 13/16 x 11 13/16

Approximate weight: 29.8 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
OLYMPIA RANDOM

Product type: **Precast concrete paver**

Product code: **0130**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 4 11/16 x 9 7/16
3 1/8 x 9 7/16 x 9 7/16
3 1/8 x 9 7/16 x 14 1/8

Approximate weight: Variable (11.7 to 35.1 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
OLYMPIA SQUARE

Product type: **Precast concrete paver**

Product code: **0131**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 14 1/8 x 14 1/8

Approximate weight: 51.1 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
PARISIEN SQUARE

Product type: **Precast concrete paver**

Product code: **1030**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 6 1/4

Approximate weight: 7.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
PARISIEN RECTANGLE

Product type: **Precast concrete paver**

Product code: **1040**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 6 1/4 x 9 3/8

Approximate weight: 11.5 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
PERMEA

Product type: **Precast concrete paver**

Product code: **1810**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 9 x 9
3 1/8 x 9 x 12
3 1/8 x 9 x 14 15/16
(Dimensions include the joint)

Joint width: 7/8 in.

Percent of open area of the surface: 8.4%

Approximate weight: Variable (20.7 to 34.6 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
TRIAS

Product type: **Precast concrete paver**

Product code: **0120**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 5 13/16 x 5 13/16
2 3/8 x 5 13/16 x 6 5/8
2 3/8 x 5 13/16 x 7 3/8
2 3/8 x 5 13/16 x 8 3/16

Approximate weight: Variable (6.6 to 9.3 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
VICTORIEN 60 mm

Product type: **Precast concrete paver**

Product code: **1060**
2030

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 4 1/4 x 8 1/2

Approximate weight: 7.1 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

TECHNICAL DATA SHEET
VICTORIEN 80 mm

Product type: **Precast concrete paver**

Product code: **1061**
2031

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 4 1/4 x 8 1/2

Approximate weight: 9.0 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PPHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
VICTORIEN PERMEABLE

Product type: **Precast concrete paver**

Product code: **1830**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 4 1/4 x 8 1/2
(Dimensions include the joint)

Joint width: 3/8 in.

Percent of open area of the surface: 9.6%

Approximate weight: 7.1 lb

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
VILLAGIO

Product type: **Precast concrete paver**

Product code: **1800**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 2 3/8 x 5 1/8 x 5 1/8
2 3/8 x 5 1/8 x 6 5/16
2 3/8 x 5 1/8 x 7 5/16
2 3/8 x 5 1/8 x 8 7/16

Approximate weight: Variable (5.3 to 8.6 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**

Techo-Bloc
Precious Stones™
www.techo-bloc.com

TECHNICAL DATA SHEET
VILLAGIO GRANDE

Product type: **Precast concrete paver**

Product code: **1801**

GEOMETRIC CHARACTERISTICS

(height x width x length)

Dimensions (in.): 3 1/8 x 5 7/8 x 7 1/16
3 1/8 x 5 7/8 x 8 5/8
3 1/8 x 5 7/8 x 10 3/16
3 1/8 x 5 7/8 x 11 3/4

Approximate weight: Variable (10.8 to 18.1 lb)

Dimensional tolerances

Standards	ASTM C 936	Techo-Bloc
Length	± 1/16 in.	± 1/16 in.
Width	± 1/16 in.	± 1/16 in.
Height	± 1/8 in.	± 1/8 in.

PHYSICAL CHARACTERISTICS

Standards	ASTM C 936	Techo-Bloc
Compressive strength	8000 psi (min)	8000 psi (min)
Freeze-thaw durability - Loss of mass after 50 cycles	1 % (max)	1 % (max)
Water absorption	5 % (max)	5 % (max)

To learn more about the textures and colors for this product, please contact our representatives.

OCT2011

CANADA 5255, Albert-Millichamp Street, St-Hubert (Quebec) CANADA J3Y 8Z8 USA 852 Pennsylvania Avenue, Pen Argyl, PA 18072
Telephone 450.656.2992 Fax 450.656.1983 Toll Free 1.800.463.0450 **www.techo-bloc.com**